



Cable Grease QCL240

Product Data

Product Information

Cable grease QCL240 is a compound soap thickened synthetic oil and added with special anti-wear additives. It has excellent lubricity, anti-wear, water resistance, low temperature performance and colloidal stability.

Recommended Applications

1. Vibration reduction, noise reduction and lubrication of cables, pulleys, slide rails, and automobile sun visors controlled by low friction coefficient.
2. It is suitable for the lubrication of plastic, rubber and metal parts.
3. Lubrication of parts in occasions with high requirements for low temperature and noise reduction.
4. Operating temperature range: $-30^{\circ}\text{C} \sim 120^{\circ}\text{C}$.

Product advantages

1. Good compatibility of rubber and plastic.
2. Good colloid stability and high and low temperature performance, and it is not easy to flow oil during use.
3. Excellent abrasion resistance, low volatility, not easy to oxidize, suitable for long-term lubrication.

CHARACTERISTICS

Color	Visual	Off-white paste
NLGI	ASTM D217	2
Penetration at 25°C, (0,1mm)	ASTM D 217	265-295
Drop point (°C)	ASTM D2265	>190
Copper corrosion (100°C, 24h)	ASTM D4048	PASS
Evaporation Loss (202°C, 22h)	ASTM D972	<0.3%

This data is for reference only.